The Promise, Pitfalls and Process of AI

Stephen J. Mildenhall July 11, 2019



1

Predictive Analytics erence Representation Deep Learning Data ScienceExpert System Data Visualization Statistics Exploratory Data Analysis Neural Network Inf Data Big Data p > nArtificial Intelligence Data Represenatation Machine Learning





Facts and Features

Type Π. Single Family

Cooling

Central

INTERIOR FEATURES

Bedrooms

Beds: 3

Bathrooms

Baths: 1 full, 1 half

Heating and Cooling

Heating: Radiant

Heating: Gas

Year Built 1928 Parking

2 spaces

Ρ

Radiant Lot 7,400 sqft

Heating

A

Appliances

Dishwasher, Dryer, Garbage disposal, Microwave, Range / Oven, Refrigerator, Trash compactor, Washer

Flooring

Floor size: 2,346 sqft Flooring: Hardwood

See More Facts and Features V

Home Value

Zestimate \$565,863

1010 Woodbine Ave, Oak Park, -

Contact Agent

Or call 773-974-9996 for more info

Nearby Similar Sales

SOLD: \$565.000 Sold on 05/23/18 3 bds, 2 ba, 1,932 sqft 846 Linden Ave, Oak Park, IL 60302

SOLD: \$560,000 Sold on 05/29/18 3 bds, 2.5 ba, 2,660 sqft 830 Belleforte Ave. Oak Park, IL 60302

SOLD: \$570,000 Sold on 04/26/19 4 bds, 2.5 ba, 2.332 sqft 913 Linden Ave, Oak Park, IL 60302

SOLD: \$550,000 Sold on 11/13/18 3 bds, 2.5 ba, 1,696 sqft 1047 N Grove Ave, Oak Park, IL 60302

SOLD: \$540.000 Sold on 11/30/18 4 bds, 2.5 ba, 2,204 sqft 1015 Woodbine Ave, Oak Park, IL 60302

See sales similar to 1010 Woodbine Ave

4

Comparables

- Statistics: learning from data
- Descriptive statistics: summarize with no interpretation
- Exploratory data analysis (EDA): claims about current sample

Generalizing Comparables

- Relevant comparables may not be available
- Extend limited data
- Predictive modeling: estimate value for an out of sample unit
- Buyer's perspective

Understanding Comparables

- Seller's perspective: does an investment to
 - remodel the kitchen or
 - paint or
 - landscape or
 - add a bathroom or
 - make life easier for my broker
 - make sense?
- Inferential statistics

• Machine learning: an

algorithm allowing computer to build and improve a model from more **data**

- Machine learning: an algorithm allowing computer to build and improve a model from more data
- GLMs
- Logistic regression
- Decision trees
- Exam MAS material

- Machine learning: an algorithm allowing computer to build and improve a model from more data
- GLMs
- Logistic regression
- Decision trees
- Exam MAS material
- Not ML: expert system, knowledge base

- Machine learning: an algorithm allowing computer to build and improve a model from more data
- GLMs
- Logistic regression
- Decision trees
- Exam MAS material
- Not ML: expert system, knowledge base

ML Problems

- Classification
- Regression
- Transcription
- Machine translation
- Anomaly detection
- Synthesis
- Impute missing values
- De-noise
- Density estimation

Comparables...

Comparables...

• Encapsulate considerable domain expertise

...and are a powerful data representation











1) A < B < C2) B < A < C3) B < C < A4) C < B < A5) None of the above

FYI, values are x : 3x : 9x

Home Facts by Data Source ALL SOURCES COMBINED COUNTY RECORDS County website Beds: 6 - Baths: 7.5 4.5 Soft: 12.000 7.914 Lot: 39,622 sq ft / 0.91 acres 39,621 sq ft / 0.91 acres Type: Single Family Single Family Year Built: 1929 1929 Last Sold: Aug 2011 for \$2.100.000 - Parking: Attached Garage Garage - Attached Cooling: Central Central Heating: Gas - Fireplace: Yes Yes Days on Zillow: 47 -MLS #: 10322977 - Other facts Additional Features: Air Conditioning: Zoned, Space Pac, Appliances: All Stainless Steel Kitchen Appliances, 2nd Bedroom Level: 2nd Level, Built Before 1978 (Y/N): Yes, Electricity: Circuit Breakers, 400 Amp Service or Greater, Family Room Level: Not Applicable, Heat/Fuel: Hot Water/Steam, 2+ Sep Heating Systems, Zoned, Sewer: Sewer-Public, Listing Type: Exclusive Right To Sell, Master Bedroom Level: 2nd Level, Parking Type: Garage, Water: Lake Michigan, Kitchen Level: Main Level, Living Room Level: Main Level, Exposure: W (West), S (South), E (East), N (North), Sale Terms: Conventional, 3rd Bedroom Level: 2nd Level, Equipment: Sump Pump, Sprinkler-Lawn, Power Generator, Kitchen Type: Pantry-Closet, Eating Area-Table Space, Island, Basement Bathrooms (Y/N): Yes, Addtl Room 2 Level: 2nd Level, Bath Amenities: Double Sink, Steam Shower, Lot Description: Corner, Addtl Room 4 Level: Main Level, Addtl Room 1 Level: 3rd Level, Addtl Room 3 Level: 3rd Level, 4th Bedroom Level: 2nd Level Addtl Room 3 Name: Office Addtl Room 5 Level: 3rd Level Addtl Room 1 Name: 5th Bdrm, Addtl Room 2 Name: 6th Bdrm, Frequency: Not Applicable, Attic: Full, Interior Stair, Finished, Addtl Room 6 Level: Basement, Addtl Room 7 Level: 2nd Level, Addtl Room 9 Level: Main Level, Addtl Room 8 Level: 2nd Level, Status: New, Addtl Room 4 Name: Library, Addtl Room 5 Name: Attic, Addtl Room 9 Name: Gallery, Square Feet Source: Estimated, Master Bedroom Bath (Y/N): Full, Age: 81-90 Years, Area Amenities: Street Lights, Street Paved, Sidewalks, Pool, Garage On-Site: Yes, Additional Rooms: Recreation Room, 5th Bedroom, Sitting Room, 6th Bedroom, Recent Rehab (Y/N): Yes, Additional Sales Information: List Agent Must Accompany, 2nd Floor Laundry, In-Law Arrangement, Heated Floors, Breezeway, Dog Run, Fireplace Location: Other, Is Parking Included in Price: Yes, Type of House 2: 2 Stories, Garage Ownership: Owned Laundry Level: Not Applicable, Additional Rooms: Terrace, Attic, Office, Gallery, Library, Addtl Room 6 Name: Recreation Rm, Addtl Room 7 Name: Sitting, Addtl Room 10 Level: Main Level, Addtl Room 8 Name: Sitting, Addtl Room 10 Name: Terrace, Aprox, Total Finished So Ft: 0. Total Sq Ft: 0, Lot Dimensions: 215 X 184, Tax Year: 2017, Parcel Identification Number: 15013170210000 - Appliances Included: Dishwasher, Drver, Garbage disposal, Microwave, Range / Oven, Refrigerator, Washer - County Name: Cook County Cook Covered Parking Spaces: 4 4 Exterior Material: Brick, Stone Stone Floor Covering: Carpet, Hardwood - Heating Type: Forced air - Laundry: In Unit - Parcel #: 1501317021 1501317021 Pets: Contact manager -Roof Type: Slate Slate Room Count: - 0 Room Types: Dining room -Stories: 0.0 2.0 Structure Type: Tudor Split level Unit Count: 0 0 Zillow Home ID: 123561615 -

From https://www.zillow.com/homes/for_sale/Oak-Park-IL-60302/123561615_zpid/84453_rid/globalrelevanceex_sort/41.897302, 87.808603, 41.886408, - 87.826799_rect/15_zm/? Home Facts by Data Source ALL SOURCES COMBINED COUNTY RECORDS County website Beds: 5 4 Baths: 4.0 3.5 Soft: 3.360 3.360 Lot: 13,560 sq ft / 0.31 acres 13,562 sq ft / 0.31 acres Type: Single Family Single Family Year Built: 1899 1898 Last Sold: -- Parking: Detached Garage Garage - Detached Cooling: Central - Heating: Gas -Fireplace: Yes Yes Days on Zillow: 117 - MLS #: 10344749 - Other facts Additional Features: Addtl Room 5 Level: Not Applicable. Appliances: Oven-Double, All Stainless Steel Kitchen Appliances, 2nd Bedroom Level: 2nd Level, Built Before 1978 (Y/N): Yes, Sewer: Sewer-Public, Listing Type: Exclusive Right To Sell, Master Bedroom Level: 2nd Level, Parking Type: Garage, Space/s, Tax Exemptions: Homeowner, Equipment: Ceiling Fan, CO Detectors, Water: Lake Michigan, Kitchen Type: Eating Area-Breakfast Bar, Eating Area-Table Space Island Kitchen Level: Main Level Living Room Level: Main Level, 3rd Bedroom Level: 2nd Level, Other Information: School Bus Service, Commuter Train, Historical District, Exposure: E (East), Electricity: 200+ Amp Service, Exterior Building Type: Frame, Addtl Room 2 Level: Main Level, Addtl Room 2 Name: Foyer, Addtl Room 3 Level: 2nd Level, Addtl Room 1 Level: 3rd Level, Addtl Room 4 Level; 2nd Level, 4th Bedroom Level: 2nd Level, Driveway: Side Drive, Concrete, Addtl Room 4 Name: Balcony, Addtl Room 1 Name: 5th Bdrm, Family Room Level: 3rd Level, Age: 100+ Years, Addtl Room 10 Level: Not Applicable, Addtl Room 6 Level: Not Applicable, Addtl Room 7 Level: Not Applicable, Addtl Room 8 Level: Not Applicable, Addtl Room 9 Level: Not Applicable, Frequency: Not Applicable, Attic: Full, Interior Stair, Finished, Foundation: Stone, Status: New Souare Feet Source: Assessor, Master Bedroom Bath (Y/N): Full, Bath Amenities: Soaking Tub, Area Amenities: Curbs/Gutters, Street Lights, Street Paved, Sidewalks, Garage On-Site: Yes, Parking On-Site: Yes, Additional Rooms: Balcony, 5th Bedroom, Additional Sales Information: List Agent Must Accompany, Heated Floors, Balcony, Parking Ownership: Owned, Fireplace Location: Other, Is Parking Included in Price: Yes, Parking: Driveway, Type of House 2: 3 Stories, Lot Dimensions: 78X175. Additional Rooms: Fover, Garage Ownership: Owned, Laundry Level: Not Applicable Aprox. Total Finished So Et: 0. Total So Et: 0. Basement Sq Ft: 0, Tax Year: 2017, Parcel Identification Number: 16071030160000 - Appliances Included: Dishwasher, Drver, Garbage disposal. Microwave, Range / Oven, Refrigerator, Trash compactor, Washer - Assisted Living Community: No - Attic: Yes - Barbecue Area: No - Basement Type: Partial - Basketball Court: No - Cable Ready: No - Ceiling Fan: Yes - Controlled Access: No - County Name: Cook County Cook Covered Parking Spaces: 7.2 Deck: No - Disability Access: No - Dock: No - Doorman: No - Double Pane/Storm Windows: No -Elementary School: Oliver W Holmes Elementary Schoo - Elevator: No - Exterior Material: Stone, Wood Wood Fenced Yard: Yes - Floor Covering: Hardwood, Slate - Garden: Yes - Gated Entry: No -Greenhouse: No - Fitness Center: No - Heating Type: Baseboard. Radiant - High School: Oak Park & River Forest High Sch - Hot Tub/Spa: No - Intercom: No - Jetted Tub: No - Laundry: In Unit -Lawn: No - Legal Description: - (WORWICKS) SUB OF LT1 EX N7FT & ALL OF LT2 IN BLK2 IN KETTLESTRINGS ADD TO HARLEM SUB OF PT OF NW SEC 07-39-13 Middle School: GWENDOLYN BROOKS MIDDLE SCHOOL - Mother-in-Law Apartment: No - Near Transportation: No - Over 55 Active Community: No - Parcel # 1607103016 1607103016 Patio: Yes - Pets: Contact manager - Pond No - Pool: Yes - Porch: Yes - Roof Type: Asphalt Shake/Shingle Room Count: 9.0 Room Types: Dining room, Family room, Laundry room, Master bath, Walk-in closet - RV Parking: No - Sauna: No - Security System: No - Skylight: Yes - Sports Court: No - Sprinkler System: No - Storage: No - Stories: 3.0 2.0 Structure Type: Victorian Other Tennis Court: No - Unit Count: 0 0 Vaulted Ceiling: No - Waterfront: No -Wet Bar: No - Wired: No - Zillow Home ID: 3803093 -

Home Facts by Data Source ALL SOURCES COMBINED COUNTY RECORDS County website Beds: 3 3 Baths: 1.0 1.0 Soft: 2.080 1.376 Lot: 4,159 sq ft / 0.10 acres 4,158 sq ft / 0.10 acres Type: Single Family Single Family Year Built: 1914 1913 Last Sold: - - Parking Detached Garage Garage - Detached Cooling: Central Central Heating: Gas - Fireplace: - - Days on Zillow: 104 - MLS #: 10260750 - Other facts Additional Features: Addtl Room 4 Level: Not Applicable, Addtl Room 5 Level: Not Applicable, 4th Redroom Level: Not Applicable Built Before 1978 (Y/N): Yes, Sewer: Sewer-Public, Listing Type: Exclusive Right To Sell, Parking Type: Garage, Tax Exemptions: Homeowner, Senior, Senior Freeze, Addtl Room 1 Level: Main Level. 2nd Bedroom Level: Main Level, Water: Lake Michigan, Kitchen Level: Main Level, Living Room Level: Main Level, Master Bedroom Level: Main Level. Other Information: School Bus Service, Commuter Bus, Addtl Room 3 Level: Main Level, 3rd Bedroom Level: Main Level, Addtl Room 2 Name: Recreation Rm. Addtl Room 1 Name: Breakfast Rm. Family Room Level: Rasement, Addtl Room 2 Level: Rasement, Age 100+ Years, Addtl Room 10 Level: Not Applicable, Addtl Room 6 Level: Not Applicable, Addtl Room 7 Level: Not Applicable, Addtl Room 8 Level: Not Applicable, Addtl Room 9 Level: Not Applicable, Frequency; Not Applicable, Status: New, Square Feet Source: Plans, Master Bedroom Window Treatments (Y/N): Curtains/Drapes, 3rd Bedroom Window Treatments (Y/N): Shades, Exterior Building Type: Aluminum Siding, Addtl Room 2 Window Treatments (Y/N): Blinds, Family Room Window Treatments (Y/N): Blinds, Area Amenities: Curbs/Gutters, Street Lights Street Paved Sidewalks Park/Playground Addtl Room 3 Window Treatments (Y/N): Curtains/Drapes, Garage On-Site: Yes, 1st Floor Bedroom, 1st Floor Full Bath, Additional Rooms: Recreation Room, Breakfast Room, Sun/Florida Room Heated, Is Parking Included in Price: Yes. Addtl Room 3 Name: Sun/Florida Room Heated, Type of House 2: 1 Story, Lot Dimensions: 125 X 33, Garage Ownership: Owned, Laundry Level: Not Applicable, Aprox. Total Finished Sq Ft: 2080, Main So Ft: 1376, Total So Ft: 1376, Tax Year: 2016, Parcel Identification Number: 16053110300000 - Appliances Included: Dishwasher, Dryer, Range / Oven, Refrigerator, Washer - County Name: Cook County Cook Covered Parking Spaces: 2.2 Elementary School: Whittier Elementary School - Exterior Material: Wood Wood Floor Covering: Carpet, Hardwood, Linoleum / Vinyl - Heating Type: Forced air - High School: Oak Park & River Forest High Sch - Laundry: In Unit - Legal Description: - (HOOKERS) SUB OF NE SW SEC 05-39-13 Middle School: GWENDOLYN BROOKS MIDDLE SCHOOL - Parcel #: 1605311030 1605311030 Pets: Contact manager - Roof Type: Tile Shake/Shingle Room Count: - 0 Room Types: Dining room - Stories: 0.0 1.0 Structure Type: Bungalow Bungalow Unit Count: 0 0 Zillow Home ID: 3799641 -

From https://www.zillow.com/homes/for_sale/Oak-Park-IL-60302/3799641_zpid/84453_rid/globalrelevanceex_sort/41.902253, 87.774485, 41.89136, - 87.792681_rect/15_zm/?

Humans excel at image recognition...

- Humans can process images very quickly
 - The three images contain several megabytes of data, $p \gg n$
- Computers can process structured text very quickly
 - The raw text contains a few kilobytes of information
- Which system would you rather try to program?

...and many other problems computers find hard

Artificial Intelligence (AI)

- Artificial Intelligence: solving problems people find easy but computers find hard
 - Image interpretation
 - Conversation
 - Reading emotions
 - Catching frisbees
- Skills shared with other animals having neuron-based brains
- Al is a problem domain



The Premise of Al...

Appears people have gotten a long way with a single trick

- Recent studies suggests the mammalian brain uses a single algorithm to solve most tasks
- Previously machine learning research fragmented: distinct approaches for natural language processing, vision, motion planning, speech recognition


...today AI leverages a single general purpose algorithm inspired by, but not simulating, brain function to solve a wide range of problems

Al General Purpose Algorithm

- Learn model from experience
 - Use machine learning
 - Show don't tell background information
- Learn what is important
 - Data representation created simultaneously with model
- Understand the world as a hierarchy of concepts
 - Complicated concepts built out of simpler ones
- Hierarchy of concepts has many layers
 - Deep learning

Al General Purpose Algorithm...

- Hierarchy layers built using simple *neuron* nodes
- Neural networks build new covariates from non-linear hinge functions of existing covariates and the output of other layers
- Optimize overall fit with least squares



...algorithm inspired by our understanding of brain function

AI General Purpose Algorithm: A Naïve Description

- Neural networks and deep learning are fancy least squares
 - Solve using gradient descent = walking downhill
 - Stochastic gradient descent = probably walking downhill
- Approximate complex functions by compositions of simple ones
- Build and combine specialized problem solving nodes
 - recognize color...
 - recognize car vs truck vs bike vs motorcycle vs ...
 - can combine to recognize red car, blue truck, ...
- Pool, share and feedback information between nodes
- Nodes simultaneously learn model and data representation

AI Has a Long History...

Old Approach	New Approach
Knowledge base: hard-coded knowledge about world	Machine Learning: extract model from training data
Expert system : humans decide important features	Representation Learning : determine important factors of variation
Neural networks	Deep learning neural networks

...but hasn't always performed as expected

Why Is AI Working Now?

- Better algorithms
- More data
- Bigger models

'Godfathers of AI' honored with Turing Award, the Nobel Prize of computing

Yoshua Bengio, Geoffrey Hinton, and Yann LeCun laid the foundations for modern Al By James Vincent | Mar 27, 2019, 6:02am EDT





Why AI Is Working Now: Better Algorithms

Pre-2006 deep networks were believed to be very difficult to train

- Better algorithms devised by Hinton in 2006 allowed deeper models by making them faster to train
- Beginning of the deep learning era
- Tens of thousands of researchers working in AI/ML

A fast learning algorithm for deep belief nets

GE Hinton, S Osindero, YW Teh - Neural computation, 2006 - MIT Press

We show how to use "complementary priors" to eliminate the explaining-away effects that make inference difficult in densely connected belief nets that have many hidden layers. Using complementary priors, we derive a fast, greedy algorithm that can learn deep, directed ...

☆ ワワ Cited by 10337 Related articles All 61 versions

Why AI Is Working Now: Better Algorithms

Pre-2006 deep networks were believed to be very difficult to train

- Better algorithms devised by Hinton in 2006 allowed deeper models by making them faster to train
- Beginning of the deep learning era
- Tens of thousands of researchers working in AI/ML

A fast learning algorithm for deep belief nets

GE Hinton, S Osindero, YW Teh - Neural computation, 2006 - MIT Press

We show how to use "complementary priors" to eliminate the explaining-away effects that make inference difficult in densely connected belief nets that have many hidden layers. Using complementary priors, we derive a fast, greedy algorithm that can learn deep, directed ...

☆ ワワ Cited by 10337 Related articles All 61 versions

[PDF] A systematic relationship between **minimum bias** and generalized linear models

SJ Mildenhall - Proceedings of the Casualty Actuarial Society, 1999 - casact.org

The minimum bias method is a natural tool to use in parameterizing classification ratemaking plans. Such plans build rates for a large, heterogeneous group of insureds using arithmetic operations to combine a small set of parameters in many different ways. Since the ...


☆ 55 Cited by 77 Related articles All 5 versions ≫

Why AI Is Working Now: More Data

- More data: IOT, Big Data, digitization of society
- More data = less skill required to train model
- Data rules of thumb: a supervised deep learning algorithm will generally
 - achieve acceptable performance with around 5,000 labeled examples per category
 - will match or exceed human performance when trained with a dataset containing at least 10 million labeled examples

Why AI Is Working Now: Bigger Models

- Bigger = deeper models
 - More computer power
 - Better algorithms
- Model size: connections and number of neurons or nodes
- Biological neurons not densely connected
 - Models within order of magnitude of mammal brains
- Number of neurons: current models are very small
 - Doubling every 2.4 years
 - Match human brain by 2050




...can't expect much from a leech-brain sized network

Deep Learning Summary

Deep learning is an approach to Al. Specifically, it is a type of machine learning, a technique that allows computer systems to improve with experience and data.

- ... machine learning is the only viable approach to building AI systems that can operate in complicated, real-world environments
- Deep learning...achieves great power and flexibility by learning to represent the world as a nested hierarchy of concepts



Central Park Dreamscape CGI

When Does AI Work Well?

Stunning results

- Static, rules based environment
- Clean, direct observations
- Essentially limitless data
- Definitive right answer

Examples

- Classification problems
- Image, speech recognition
- Pedestrian detection
- Traffic sign classification
- Simple dynamic control
- Reinforcement learning, robotics
- Synthetic data, alphaZero
- GANs

When Does AI Work Well?

Stunning results

- Static, rules based environment
- Clean, direct observations
- Essentially limitless data
- Definitive right answer

Examples

- Classification problems
- Image, speech recognition
- Pedestrian detection
- Traffic sign classification
- Simple dynamic control
- Reinforcement learning, robotics
- Synthetic data, alphaZero
- GANs


Characteristics of insurance

- Behavioral feedbacks
- Dynamic: reacts as we learn
- Proxy data, not direct
- Inherently small classes
- Uncertain data: development
- Latent data

...Al works well on real world data

How is *Real Data* Special?

- Real data often appears very high dimensional (p ≫ n) but really contains hidden structure
- Photographs do not look like random images
 - Continuous: image near a photograph recognizable
 - No jumps or cliffs
 - Not fractal-like



Real images occupy a **negligible proportion** of the total volume of image space

How is Real Data Special?

Helpful Al data rules of thumb

Representation learning: A review and new perspectives

Y Bengio, A Courville, P Vincent - IEEE transactions on pattern ..., 2013 - ieeexplore.ieee.org The success of machine learning algorithms generally depends on data representation, and we hypothesize that this is because different representations can entangle and hide more or less the different explanatory factors of variation behind the data. Although specific domain knowledge can be used to help design representations, learning with generic priors can also be used, and the quest for Al is motivating the design of more powerful representationlearning algorithms implementing such priors. This paper reviews recent work in the area of ... \$\frac{1}{295}\$ Cited by 4662 Related articles All 40 versions

AI Data Rules of Thumb

Assumption	Concerns		
Smoothness	Weather, butterfly effect; singularities		
Multiple explanatory factors	Sudden change in relationship		
Common material drivers	or sentiment		
Shared factors across tasks	Phase change or market crash		
Hierarchical organization of factors			
Simple linear factor dependencies	Log-linear: earthquakes		
Manifolds: real data is low d			
Natural clustering			
Sparsity , 80/20 explanatory rule			
Temporal and spatial coherence			
Causal factors	State dependent causality		

AI Applications: Everything

AI Applications: Well... Almost Everything

Insurance-Related AI Applications

Good fit, already in use

- Marketing
- Customer service
- Underwriting homogeneous classes = predictive modeling
- Claims processing
- Fraud detection
- Health care

High potential

- Claims reserving
- Loss reserving
- Data quality evaluation
- Anomaly detection = fraud
- Data completion
- Underwriting accounts = detecting risk-aware management
- Risk management in high frequency lines

More Challenging for AI

Data rules fail

- Discontinuities
- State change
- Sentiment change
- Singularities: tornados, black holes
- Fractal data
- Butterfly effect
- Weather models
- Cat models
- Identify next mass tort

More Challenging for AI

Data rules fail

- Discontinuities
- State change
- Sentiment change
- Singularities: tornados, black holes
- Fractal data
- Butterfly effect
- Weather models
- Cat models
- Identify next mass tort

More exposure to see rarer events

- Good performance = **5000** observations
- 50,000 exposures at 10% claim rate
- 500,000 exposures at 1% claim rate
- 5 million exposures at 0.1% claim rate

 For approx. 1% claim rate see examples on r/CatastrophicFailure, r/IdiotsInCars, r/nononono, r/OSHA, r/Roadcam

> Al works with enough data... ...can you collect enough?

AI Compared to Catastrophe and Weather Models

- Is enough data practically possible?
- Weather and catastrophe models are physics-based models
- Physical models better than a learned phenomenological models
- Re-learning physics inefficient
- Al can work effectively in conjunction with physics-based models




Fig. 1. An example of a decision tree for predicting if hail will occur. A version of this decision tree first appeared in Gagne (2016).

...Al already being applied to forecast high impact weather events

0	10.00	7.00	96.00	96.00	0 65.00
0	"Raw dat to the con	a is both trary, data	an oxymo should l	oron and a de cooked	bad idea; with care."
	🚟 Geoffrey Bowker	<pre>buring.c6-months.1-5,1,4,1,"hey",5,5,5,5,0pinio m.25-years.5001-10000.6.0.6."f6[[]]+Ame''''''''''''''''''''''''''''''''''''</pre>	.0.1.0.0.0.1.0.0.0., "hey	IN LINE C 3: H/2 M. MIANT LAR.	3:4/2 - get restband-more to
0	[210] 200. 11.0 (d) 200. 11.0 (d) 200. 11.0 (d) 200. 200. 200. 200. 11.0 (d) 200. 1	$\label{eq:second} \begin{array}{c} \operatorname{second}_{n} \left(1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, $	A portuniti da de la deservición deservición deservición deservición deservición deservición deservici	$\begin{array}{c} \begin{array}{c} \displaystyle \frac{\partial (g)}{\partial t} d_{t} d_{t} d_{t} d_{t} d_{t} d_{t} d_{t} d_{t} d_{t} \\ \displaystyle \frac{\partial (g)}{\partial t} d_{t} d_{t} d_{t} d_{t} d_{t} d_{t} \\ \displaystyle \frac{\partial (g)}{\partial t} d_{t} d_{t} d_{t} d_{t} d_{t} d_{t} \\ \displaystyle \frac{\partial (g)}{\partial t} d_{t} d_{t} d_{t} d_{t} d_{t} \\ \displaystyle \frac{\partial (g)}{\partial t} d_{t} d_{t} d_{t} d_{t} \\ \displaystyle \frac{\partial (g)}{\partial t} d_{t} d_{t} d_{t} d_{t} \\ \displaystyle \frac{\partial (g)}{\partial t} \\ \\ \displaystyle \frac{\partial (g)}{\partial t} \\ \displaystyle \frac{\partial (g)}{\partial t} \\ \\ \\ \\ \displaystyle \frac{\partial (g)}{\partial t} \\ \\ \\ \\ \\ \displaystyle \frac{\partial (g)}{\partial t} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ $	inter proper straft something and the appendix something inter the new internet in the second some of the formal something provides interface to the model to the interface of t
0		001 0001 1010 0010 0001 0004 01 016 0000 0028 0000 0010 0000 00		Rule Hose partic har classed by ages stands, redischarge have handblock marstales Grac was by (constal both	3:49- up cleantr 2 Flans. 2 gu Stayle to top.
0	0000030 0000 0 0000040 0004 8 0000050 00e9 6	001 0004 0000 0000 0000 0000 00 000 0000 0	Messag	se so Far	-
0	0000070 0057 70 0000080 8888 8 0000090 3683 5	b7a 007a bab9 00b9 3a3c 003c 36 888 8888 8888 888 888 888 888 888 888 888 8888 8888 7667 778e 8828 88 abd 8818 8888 467c 585f 8814 81	■ Show c	lon't tell raining data	50,00
0	00000c0 8a18 8 00000d0 a948 5	8f7 88aa 8388 8b3b 88f3 88bd e9 80c e841 c988 b328 6871 688e 95 862 5884 7e81 3788 lab4 5a84 3e	Derive	data represen	tation 50 . 00 🕳
0	00000f0 8888 8	cb8 5cbb 8888 8888 8888 8888 88 888 8888 8888	Derive	model relation	nships
0	0000130 0000 0 000013e	000 0000 0000 0000 0000 0000	50.00	96.00	3.00

33

L

AI Bias and Sources of Modeling Failure

- Computers do not see images with semantic understanding
- Computers see things the eye cannot detect: lighting, type of camera
- Computers don't filter irrelevant information
- Basic statistics emphasizes training data must be a random cross section of population
 - Extend to include new characteristic picked up by ML
- Skills for AI modeling era
 - Enhanced methodological rigor managing training data
 - Technical tools to analyze and diagnose the behavior of the model
 - Training, education and caution in the deployment of ML in products

AI Bias and Sources of Modeling Failure

- How do the models fail?
 - Technical problem inherent in algorithm
 - Bad implementation
 - Institutional failure by large bureaucracy
- Understanding decisions in big organization very complex
 - Like evaluating ML models, people are "black boxes" too

...Al is just a machine—think washing machine not HAL9000—powerful but limited

Benedict Evans

Cheat Sheet

Term	Definition	
Statistics	Learning from Data	
Descriptive Statistics	Facts, no interpretation	
EDA	Current sample only, not generalization	
Predictive modeling	Estimate value for a new unit, (MAS I and II)	
Inferential statistics	Understand importance of explanatory data over population	
Knowledge base	Human curated explanation of complex real-world system	
Expert System	Rules based explanation of complex real-world system	
Artificial Intelligence	Problem domain; solving problems people find easy but computers find hard	
Machine Learning	Algorithm allowing computer to build and improve a model from data	
Neural network	Multi-layered, inter-connected hinge function regression model,	
	loosely modeled on brain function	
Deep learning	Approach to AI; type of ML; learn complicated concepts by	
	building out of many simpler ones	
Representation Learning	Use ML to process figure data representation	

References

Slide(s)	Reference
3,4,10,11	https://www.zillow.com
13-16, 21-23,	Goodfellow, Ian, Yoshua Bengio, and Aaron Courville. Deep learning. MIT press, (2016). https://deeplearningbook.org
25-26	
19	Godfathers of AI, The Verge 2019, https://www.theverge.com/2019/3/27/18280665/ai-godfathers-turing-award-2018- yoshua-bengio-geoffrey-hinton-yann-lecun
20, 26	Google Scholar
27	Bengio, Yoshua, Aaron Courville, and Pascal Vincent. "Representation learning: A review and new perspectives." IEEE transactions on pattern analysis and machine intelligence 35.8 (2013): 1798-1828. https://arxiv.org/pdf/1206.5538.pdf
32	McGovern, Amy, et al. "Using artificial intelligence to improve real-time decision-making for high-impact weather." Bulletin of the American Meteorological Society 98.10 (2017): 2073-2090. https://iournals.ameteoc.org/doi/pdf/10.1175/BMMS-D-16-0123.1
33	Anna Munster, Raw data, pure data, databodies, and data worlds (2017) https://prezi.com/ktz-4hw2qbly/raw-data-pure-data-databodies-and-data-worlds/
34-35	Benedict Evans, Notes on Al Bias (2019) https://www.ben-evans.com/benedictevans/2019/4/15/notes-on-ai-bias

July 2019 for Aon talk AI buzzword bingo image from imageio import imread import mstplotlib.pyplot as plt from wordcloud import WordCloud import numpy as np

words = ('Artificial Intelligence', 'Big Data', 'Casasl Analysis', 'Data Representation', 'Data Visualization', 'Deep Learning', 'Data Representation', 'Data Science' 'Expert Systes', 'Exploratory Data Analysis', 'Inference', 'Machine Learning', 'Neural Network', 'Predictive Analytics', 'p > n', 'Statistics'] vord_freqs = { v: (0.4 + 0.6 * np.random.rand()) for w in words} vord_freqs['Artificial Intelligence'] = 2.5 word_freqs['Neep Learning'] = 1.5 vord_freqs['Neural Network'] = 1.5

wordcloud = WordCloud(colormap=plt.cm.magma, **args)

for i in range(30):
 wordcloud.generate_from_frequencies(word_freqs)
 plt.figure(figsize=(11,8.5))
 plt.imshow(wordcloud)

plt.axis("off")
plt.savefig(f'word_cloud_{i}.png', dpi=300)
plt.show()